

**IT IS THE VENDOR'S RESPONSIBILITY TO
CHECK FOR ADDENDUM PRIOR TO SUBMITTING PROPOSALS**

**NOTICE TO BIDDERS
SPECIFICATION NO. 06-067**

The City of Lincoln, Nebraska intends to purchase and invites you to submit a sealed bid for:

ONE (1) USED ROLL-OFF TRUCK CHASSIS/HOIST

**MEETING OR EXCEEDING THE CITY OF LINCOLN'S
SPECIFICATIONS ATTACHED**

Sealed bids will be received by the City of Lincoln, Nebraska on or before 12:00 noon Friday, **February 17, 2006** in the office of the Purchasing Agent, Suite 200, K Street Complex, Southwest Wing, 440 South 8th Street, Lincoln, Nebraska 68508. Bids will be publicly opened and read at the K Street Complex.

Bidders should take caution if U.S. mail or mail delivery services are used for the submission of bids. Mailing should be made in sufficient time for bids to arrive in the Purchasing Division, prior to the time and date specified above. Bids may be downloaded from the City's website at www.lincoln.ne.gov
Keyword: Bid.

Prospective submitters must monitor the bid listing for any addendums. Late bids will not be considered. Fax or e-mail bids are not acceptable. Bid response must be in a sealed envelope.

**SPECIFICATIONS
FOR
One (1) USED ROLL-OFF TRUCK CHASSIS/HOIST**

1 APPLICATION

- 1.1 The roll-off truck shall be used in the City's two landfill sites performing a variety of applications including hauling 40 yard roll-off boxes of scrap metal and appliances to a recycling facility. These boxes use an Outside Rail track loading configuration.
- 1.2 Work conditions include soft rock, asphalt, and concrete surfaces.
- 1.3 Questions can be addressed in writing via e-mail to: Tom Kopplin, Assistant Purchasing Agent, tkopplin@ci.lincoln.ne.us, up to 48 hours before the opening date.
 - 1.3.1 All questions will answered by addendum posted on the Purchasing Web-Site.

2 MODEL AND PRICE RANGE

- 2.1 1995 - 2005 year model.
- 2.2 Price range to not exceed \$52,000. Preferences given to newer and serviceable vehicles that meet the City's intended application.

3 DEMONSTRATIONS

- 3.1 Bidders shall provide on-site demonstrations of equipment if requested by the City.

4 SUPPLEMENTAL INSTRUCTIONS TO BIDDERS

- 4.1 Refer to Instruction to Bidders.
- 4.2 Bidders may submit bid proposals for more than one used roll-off truck.
- 4.3 Bidders shall submit a completed response to the technical equipment specifications listed below for each unit being bid.
 - 4.3.1 A AYes@response shall be considered as both a statement that the feature or component is offered AND that it is in proper working order.
 - 4.3.2 A ANo@response shall indicate that the feature or component is either not offered OR is offered but not functioning properly.
 - 4.3.3 All ANo@responses shall be fully explained on separate company letterhead.
- 4.4 A complete bid submittal shall include the following:
 - 4.4.1 A copy of these Specifications with compliance circled AYes@ or ANo@ and all-additional information provided where requested in accordance with Section 4.3.
 - 4.4.2 Manufacturers literature fully describing specified features.
- 4.5 Bid award shall be based on the City's review and judgment of equipment condition, maintenance history, desirable features, and price.

5 EQUIPMENT CONDITION

- 5.1 The equipment shall be in good, operational condition with a favorable maintenance and performance history available through written or verbal reference.
- 5.2 All features and components shall be in proper working order.
- 5.3 Equipment with major component repairs, rebuilds, or modifications will be considered with appropriate repair documentation.
- 5.4 Equipment serviced through a documented preventive maintenance program will be given higher consideration.
- 5.5 Equipment used in governmental applications may be given higher consideration.
- 5.6 Equipment with dealer offered or transferable manufacturer extended warranties may be give higher consideration.

TECHNICAL EQUIPMENT SPECIFICATIONS

Meets Specifications or provide requested information		Specification Requirement (circle yes/no or provide information as requested)
		6 EQUIPMENT DESCRIPTION
		6.1 Specify manufacturer. _____
		6.2 Specify model number and year. _____
		6.3 Specify VIN number. _____
		6.4 Specify hours of use. (Current hour meter and mileage readings) _____ Original Hours. _____ Original Mileage
		6.5 Specify all previous owners or users of the specific unit being offered for bid including contact names and phone numbers: _____ _____ _____ _____
		6.6 List all major component repairs, modifications, or rebuilds: _____ _____ _____ _____
Yes	No	6.7 Has equipment been maintained as part of a preventative maintenance program?
Yes	No	6.8 Are written service records available for inspection?
		7 ENGINE
Yes	No	7.1 Six cylinder minimum.
Yes	No	7.2 13 Liter C.I.D. minimum.
Yes	No	7.3 Diesel powered.
Yes	No	7.4 Water-cooled.
Yes	No	7.5 Variable net horsepower 300 H.P. minimum. Other: _____
Yes	No	7.6 Engine governor.
Yes	No	7.7 Dry-type High Capacity dual stage air cleaner.
Yes	No	7.8 1450 lb. Ft. torque minimum.
Yes	No	7.9 Pop-up restriction indicator (cab mounted).

Yes	No	7.10	Full-flow spin-on oil filter.
Yes	No	7.11	Fuel filter and water separator.
Yes	No	7.12	24-volt electric start assist.
Yes	No	7.13	Antifreeze protection to -30 degrees F.
Yes	No	7.14	Muffler with vertical exhaust.
Yes	No	7.15	Cold weather ether starting aid.
Yes	No	7.16	Engine side enclosures.
Yes	No	7.17	Fuel priming pump.
Yes	No	7.18	Two heavy-duty batteries.
Yes	No	7.19	Heavy-duty radiator.
Yes	No	7.20	50-gallon capacity fuel tank minimum. _____ _____ _____ _____
		8	TRANSMISSION
Yes	No	8.1	Automatic, _____ Speeds. Forward and Reverse.
Yes	No	8.2	Back-Up Alarm.
Yes	No	8.3	Transmission Oil Cooler.
Yes	No	8.4	Transmission Spin On, Oil Filter.
Yes	No	8.5	Transmission Oil Drain Plug.
		9	STEERING SYSTEM
Yes	No	9.1	Full hydraulic power steering.
Yes	No	9.2	Power steering cooler.
		10	TANDEMS: Rear Axle
Yes	No	10.1	44,000 lb, Capacity tandems.
Yes	No	10.2	Hoist Capacity of 46,000 lb.
Yes	No	10.3	Maximum gear speed of 70 MPH.
		10.4	Gear Ratio: _____, allowing up to 70 MPH.
		11	BRAKES
Yes	No	11.1	Air braking system.
Yes	No	11.2	Parking brake.
Yes	No	11.3	Air dryer for air brake systems and drain valves.

		12 TIRES AND WHEELS
Yes	No	12.1 Wheels to be interchangeable throughout. 10 hole ventilated, hub piloted disc.
Yes	No	12.2 Front Tires: 11R 22.5 Highway Tread. _____ Ply
Yes	No	12.3 Rear Tires: 11R 22.5 Traction Tread. _____ Ply
		13 WEIGHT AND DIMENSIONS
Yes	No	13.1 G.V.W.R . Weight. _____
Yes	No	13.2 Chassis Length. _____
Yes	No	13.3 Wheel Base Length. _____ _____ _____ _____ _____ _____
		14 FRONT AXLE
Yes	No	14.1 Heavy duty steel construction.
Yes	No	14.2 Set back of 20,000 lb capacity.
Yes	No	14.3 20,000 lb multi-leaf front spring.
Yes	No	14.4 Front shock absorbers.
Yes	No	14.5 Oil type wheel seals.
		15 ROLL-OFF HOIST
Yes	No	15.1 Manufacturer: _____
Yes	No	15.2 Model Number: _____
Yes	No	15.3 Serial Number: _____
Yes	No	15.4 Model Year: _____
Yes	No	15.5 75,000 lb., capacity hoist, cable and hook.
Yes	No	15.6 Hot shift PTO.
Yes	No	15.7 50-gallon steel hydraulic tank with oil and sight gauge.
Yes	No	15.8 Mud Flaps.
Yes	No	15.9 DOT approved lighting and reflectors.
Yes	No	15.10 Inside and Outside controls.
Yes	No	15.11 Manual controls on outside.
Yes	No	15.12 Rear box DOT approved holddowns.
Yes	No	15.13 Extendable tail, stinger tail or stabilizer.

Yes	No	15.14 Hydraulic tarping system.
Yes	No	15.15 Outside rails (Inside width between rails 36.5@) NO EXCEPTIONS: Inside/Outside rails are acceptable.
		16 CAB AND RELATED EQUIPMENT
Yes	No	16.1 Tilting hood and fender assembly.
Yes	No	16.2 Exterior entry grab handles.
Yes	No	16.3 2 A fender extensions.
Yes	No	16.4 Steel constructed cab.
Yes	No	16.5 Fully enclosed cab, shock mounted.
Yes	No	16.6 Exterior Paint Color. _____
Yes	No	16.7 Warning horn. (Duals).
Yes	No	16.8 High output two-speed heater.
Yes	No	16.9 Front defroster fan.
Yes	No	16.10 12 volt charging system
Yes	No	16.11 AM/FM radio.
Yes	No	16.12 Tinted safety glass throughout.
Yes	No	16.13 Passenger seat.
Yes	No	16.14 Windows to provide side view and rear vision.
Yes	No	16.15 Driver adjustable suspension seat with seat belt to meet SAE J326.
Yes	No	16.16 Key-locking door latches.
Yes	No	16.17 Handrails and access steps.
Yes	No	16.18 Front windshield washers and wipers.
Yes	No	16.19 Heavy-duty rubber floor mat.
Yes	No	16.20 Inside mounted rear-vision mirror.
Yes	No	16.21 Rear view mirrors, both sides mounted on exterior of equipment.
Yes	No	16.22 Hand and foot accelerator controls.
		17 INSTRUMENTS, GAUGES, AND METERS
Yes	No	17.1 Engine hour meter and mileage indicator.
Yes	No	17.2 Ammeter or voltmeter.
Yes	No	17.3 Engine oil pressure and transmission pressure gauge.
Yes	No	17.4 Engine and transmission temperature gauges.
Yes	No	17.5 Hydraulic temperature gauge.
Yes	No	17.6 Articulation indicator.
Yes	No	17.7 Brake system audible warning and indicator light.
Yes	No	17.8 Self-canceling turn signal switch.

Yes	No	17.9 Fuel level gauge.
Yes	No	17.10 Lift arm lock disengage indicator light.
Yes	No	17.11 Parking brake on indicator.
Yes	No	17.12 Visual and audible warning system. Electronic monitoring system to warn operator of problems and if immediate shutdown required.
Yes	No	17.13 Speedometer and Tachometer. _____ _____ _____ _____
		18 LIGHTING
Yes	No	18.1 Two (2) front sealed beam halogen-driving lights.
Yes	No	18.2 Rear mounted cab work lights.
Yes	No	18.3 Two (2) rear stop and tail lights.
Yes	No	18.4 Four-way warning flashers.
Yes	No	18.5 Cab mounted dome light.
Yes	No	18.6 Instrument panel light.
		19 MANUALS
Yes	No	19.1 One (1) complete service manual.
Yes	No	19.2 One (1) complete parts manuals.
Yes	No	19.3 One (1) complete operator-s manuals.

PROPOSAL
SPECIFICATION NO. 06-067
BID OPENING TIME: 12:00 NOON
DATE: Friday, February 17, 2006

The undersigned bidder, having full knowledge of the requirements of the City of Lincoln for the below listed items and the contract documents (which include Notice to Bidders, Instructions to Bidders, this Proposal, Specifications, Contract, and any and all addenda) and all other conditions of the Proposal, agrees to sell to the City the below listed items for the performance of this Specification, complete in every respect, in strict accordance with the contract documents at and for unit prices listed below.

ADDENDA RECEIPT: The receipt of addenda to the specifications numbers _____ through _____ are hereby acknowledged. Failure of any bidder to receive any addendum or interpretation of the specifications shall not relieve the bidder from obligations specified in the bid request. All addenda shall become part of the final contract document.

**THE REQUIREMENTS FOR
ONE (1) USED ROLL-OFF TRUCK
BIDDING SCHEDULE**

<u>Bid Item</u>	<u>Item Description</u>	<u>Quantity</u>	<u>Unit</u>	<u>Total Price</u>
1.	Used Roll-Off Truck	1	Each	\$ _____
	Manufacturer: _____		Model/Year: _____/_____	
	V I N Number: _____		Original Hours of Use: _____	
	Original Mileage: _____			

AFFIRMATIVE ACTION PROGRAM: Successful bidder will be required to comply with the provisions of the City's Affirmative Action Policy (Contract Compliance, Sec. 1.16). The Equal Opportunity Officer will determine compliance or non-compliance with the City's policy upon a complete and substantial review of successful bidders' equal opportunity policies, procedures, and practices.

The undersigned signatory for the bidder represents and warrants that he has full and complete authority to submit this proposal to the City, and to enter into a contract if this proposal is accepted.

NOTE:
RETURN TWO (2) COMPLETE COPIES OF PROPOSAL AND SUPPORTING MATERIAL
MARK OUTSIDE OF BID ENVELOPE AS FOLLOWS:
SEALED BID FOR SPECIFICATION NO. 06-067

Company Name

By (Signature)

Street Address or P.O. Box

(Print Name)

City, State Zip

(Title)

Telephone

(Date)

E-Mail Address

Estimated Delivery Days

Terms of Payment

Bids may be inspected in the Purchasing Division during normal business hours **after** tabulation and reviewed by a Purchasing Agent. Bid tabulations can be viewed on our website at: lincoln.ne.gov Keyword: Bid A Letter of Intent will be listed on the website when a recommendation is received from the Department.